

目录所有产品及尺寸，以实物为准，如有更改，恕不另行通知。
目录各项产品颜色因摄影以及印刷的缘故，与实物会有所偏差，敬请事先了解。
目录产品版权所有，翻版必究。

All copyrights reserved, reprint is not allowed.
All discrepancy of products in the catalogue are subjected to the real product
All modification will not be informed separately.



轩百康公司简介



佛山轩百康家具有限公司
FOSHAN XUANBAIKANG FURNITURE CO.,LTD

地址：广东省江门市鹤山市古劳镇八街
营销中心：佛山市顺德区乐从镇龙威国际装饰城 A 区
联系热线：17322780332 17322783018



Your Trusted Sourcing Partner
CONNECTING FOSHAN TO THE GULF



Exclusive Sourcing & Representation Partner — Gulf Region

Tel: +86 132 6631 6227 Web: www.foshannovastar.com
Email: info@foshannovastar.com Address: Foshan, Guangdong, China

SCAN TO CONNECT WITH US



WeChat



WhatsApp



Our Business

佛山轩百康家具有限公司
FOSHAN XUANBAIKANG FURNITURE CO.,LTD



WeChat



WhatsApp



Our Business



XBK-01#



XBK-02#



XBK-03#



XBK-05#



XBK-23#



XBK-25#



XBK-26#



XBK-27#



XBK-06#



XBK-07#



XBK-08#



XBK-09#



XBK-28#



XBK-29#



XBK-30#



XBK-31#



XBK-10#



XBK-11#



XBK-12#



XBK-13#



XBK-32#



XBK-33#



XBK-35#



XBK-36#



XBK-15#



XBK-16#



XBK-17#



XBK-18#



XBK-37#



XBK-38#



XBK-39#



XBK-50#



XBK-19#



XBK-20#



XBK-21#



XBK-22#



XBK-51#



XBK-52#



XBK-53#



XBK-55#



XBK-56#



XBK-57#



XBK-58#



XBK-59#



XBK-78#



XBK-79#



XBK-80#



XBK-81#



XBK-60#



XBK-61#



XBK-62#



XBK-63#



XBK-82#



XBK-83#



XBK-85#



XBK-86#



XBK-65#



XBK-66#



XBK-67#



XBK-68#



XBK-87#



XBK-88#



XBK-89#



XBK-90#



XBK-69#



XBK-70#



XBK-71#



XBK-72#



XBK-91#



XBK-92#



XBK-93#



XBK-95#



XBK-73#



XBK-75#



XBK-76#



XBK-77#



XBK-96#



XBK-97#



XBK-98#



XBK-99#



XBK-100#



XBK-101#



XBK-102#



XBK-103#



XBK-105#



XBK-106#



XBK-107#



XBK-108#



XBK-109#



XBK-110#



XBK-111#



XBK-112#



XBK-113#



XBK-115#



XBK-116#



XBK-117#



XBK-118#



XBK-119#



XBK-120#



XBK-121#



XBK-122#



XBK-123#



XBK-125#



XBK-126#



XBK-127#



XBK-128#



XBK-129#



XBK-130#



XBK-131#



XBK-132#



XBK-133#



XBK-135#



XBK-136#



XBK-137#



XBK-138#



XBK-139#



XBK-150#



XBK-151#



XBK-152#



XBK-153#



XBK-155#



XBK-156#



XBK-157#



XBK-158#



XBK-177#



XBK-178#



XBK-179#



XBK-180#



XBK-159#



XBK-160#



XBK-161#



XBK-162#



XBK-181#



XBK-182#



XBK-183#



XBK-185#



XBK-163#



XBK-165#



XBK-166#



XBK-167#



XBK-186#



XBK-187#



XBK-188#



XBK-189#



XBK-168#



XBK-169#



XBK-170#



XBK-171#



XBK-190#



XBK-191#



XBK-192#



XBK-193#



XBK-172#



XBK-173#



XBK-175#



XBK-176#



XBK-195#



XBK-196#



XBK-197#



XBK-198#



XBK-199#



XBK-200#



XBK-201#



XBK-202#



XBK-203#



XBK-205#



XBK-206#



XBK-207#



XBK-208#



XBK-209#



XBK-210#



XBK-211#



XBK-212#



XBK-213#



XBK-215#



XBK-216#



XBK-217#



XBK-218#



XBK-219#



XBK-220#



XBK-221#



XBK-222#



XBK-223#



XBK-225#



XBK-226#



XBK-227#



XBK-228#



XBK-229#



XBK-230#



XBK-231#



XBK-232#



XBK-233#

PU
LABORATORY CHAIR

Professional Ergonomic Seating Series



Exclusive Sourcing & Representation Partner — Gulf Region


Tel: +86 132 6631 6227

Email: info@foshannovastar.com

Web: www.foshannovastar.com

Address: Foshan, Guangdong, China


SCAN TO CONNECT WITH US



WeChat



WhatsApp



Our Business

CONNECTING FOSHAN FACTORIES TO THE GULF



LABORATORY CHAIR

SELF-SKINNING PU | ANTI-STATIC SERIES

SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL

SE02

④ Aluminum Base

Ø 640mm



Nylon Base

Ø 640mm



Chrome Base

Ø 640mm



Chrome Base

Ø 640mm



⑤



① Adjustable armrest



② Gaslift Black/Chrome



1. 120mm

2. 140mm

3. 160mm

4. 200mm

5. 260mm

③ Footring



Nylon footring

Ø 460mm



Stainless steel footring

Ø 460mm



Black coated iron footring


Ø 460mm



6CM

BACK HEIGHT ADJUSTABLE

HOW COMFORTABLE AND ADJUSTABLE
SUITABLE FOR MORE PEOPLE



SEAT BACK
ADJUSTMENT

ADJUSTING THE ANGLE TO FIT THE WAIST
AND BACK FOR A MORE COMFORTABLE
WORK EXPERIENCE



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



Anti-static
caster

Ø 50mm



Anti-static
caster

Ø 50mm



Fixed glides

Ø 50mm

COLOUR



Lab-Ready Seating

Clean surfaces. Durable performance.



FEATURE SHOWCASE

ARMREST OF CHAIR 4



ADJUSTABLE ARMREST



ARMREST MOVES FRONT AND BACK



ARMREST SWIVEL LEFT AND RIGHT.



ARMREST FOLDS BACK



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL **SE02-1**

5 Aluminum Base

Ø 640mm



Nylon Base

Ø 640mm



Chrome Base

Ø 640mm



Chrome Base

Ø 640mm



6



Pu Wheels

Ø 50mm

Pu Wheels

Ø 50mm



Anti-static caster

Ø 50mm



Anti-static caster

Ø 50mm



Fixed glides

Ø 50mm

1 Adjustable armrest



2 Mechanism



3 Gaslift Black/Chrome



1. 120mm

2. 140mm

3. 160mm

4. 200mm

5. 260mm

4 Footring



Nylon footring

Ø 460mm



Stainless steel footring

Ø 460mm



Black coated iron footring

Ø 460mm

COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM




MODEL: SE02




MODEL: SE02

4D HANDRAIL




Height Adjustment

Fits users of different heights




Front Back Adjustment

Adapt to different sitting positions



Angle Adjustment

Provide different support angles



Armrest Can Be Rotated

Suitable for users with different needs

APPLICABLE SCENARIOS



MODEL: SE02



MODEL: SE02

SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL

SE05

④ Aluminum Base

Ø 640mm



Nylon Base

Ø 640mm



Chrome Base

Ø 640mm



Chrome Base

Ø 640mm



⑤

① Adjustable armrest



② Gaslift Black/Chrome



1. 120mm

2. 140mm

3. 160mm

4. 200mm

5. 260mm

③ Footring



Nylon footring

Ø 460mm



Stainless steel footring

Ø 460mm



Black coated iron footring

Ø 460mm



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



Anti-static

caster

Ø 50mm



Anti-static

caster

Ø 50mm



Fixed glides

Ø 50mm

COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL **SE05-1**

5 Aluminum Base

Ø 640mm



Nylon Base

Ø 640mm



Chrome Base

Ø 640mm



Chrome Base

Ø 640mm



6



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



**Anti-static
caster**

Ø 50mm



**Anti-static
caster**

Ø 50mm



Fixed glides

Ø 50mm

1 Adjustable armrest



2 Mechanism



3 Gaslift Black/Chrome



1. 120mm

2. 140mm

3. 160mm

4. 200mm

5. 260mm

4 Footring



Nylon footring

Ø 460mm



Stainless steel footring

Ø 460mm



Black coated iron footring

Ø 460mm

COLOUR



PREMIUM SURFACE WORRY-FREE CARE

Advanced waterproof & alcohol-resistant surface, built for everyday life.



WATERPROOF & ALCOHOL-RESISTANT

Special surface treatment provides excellent protection against liquids and stains.



EASY TO CLEAN

Wipe clean with a damp cloth.



WATER RESISTANT

Repels water, keeps surface dry and clean.



STAIN RESISTANT

Resists various stains for long-lasting freshness.

ADVANCED LABORATORY SEATING SOLUTIONS

ENGINEERED FOR COMFORT. DESIGNED FOR PERFORMANCE.



ANTIBACTERIAL
Anti-microbial Surface



FIRE RETARDANT
Flame Resistant Material



ESD ANTI-STATIC
Static Dissipative



Professional

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM



MODEL : SE05



MODEL : SE05



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM



MODEL: SE05



MODEL: SE05



MODEL: SE05



MODEL: SE05



MODEL: SE05



MODEL: SE05



BACK HEIGHT ADJUSTABLE

HOW COMFORTABLE AND ADJUSTABLE SUITABLE FOR MORE PEOPLE



SEAT BACK ADJUSTMENT

ADJUSTING THE ANGLE TO FIT THE WAIST AND BACK FOR A MORE COMFORTABLE WORK EXPERIENCE

SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL

E01

5 Aluminum Base

Ø 640mm



Nylon Base

Ø 640mm



Chrome Base

Ø 640mm



Chrome Base

Ø 640mm



6



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



Anti-static
caster

Ø 50mm



Anti-static
caster

Ø 50mm



Fixed glides

Ø 50mm

1 Adjustable armrest



2 Mechanism



3 Gaslift Black/Chrome



1. 120mm

2. 140mm

3. 160mm

4. 200mm

5. 260mm

4 Footring



Nylon footring

Ø 460mm



Stainless steel footring

Ø 460mm



Black coated iron footring

Ø 460mm



Back High 300mm Width 405mm

Seat Length 425mm Width 465mm

COLOUR





LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM



View from Different Angles



MODEL:E01

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM



MODEL:E01



View from Different Angles

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM



View from Different Angles



MODEL:E01



LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM



MODEL:E01



View from Different Angles

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM



MODEL:E01



View from Different Angles



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL

E02

4

Aluminum Base

Ø 600mm



Nylon Base

Ø 600mm



Chrome Base

Ø 600mm



Chrome Base

Ø 600mm



Chrome Base

Ø 380mm



5



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



Anti-static
caster

Ø 50mm



Anti-static
caster

Ø 50mm



Fixed glides

Ø 50mm

1 Mechanism



2 Gaslift Black/Chrome



- 1. 120mm
- 2. 140mm
- 3. 160mm
- 4. 200mm
- 5. 260mm

3 Footring



Nylon footing
Ø 400mm



Stainless steel footing
Ø 400mm



Black coated iron footing
Ø 400mm



COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL

E02

4

Aluminum Base

Ø 600mm



Nylon Base

Ø 600mm



Chrome Base

Ø 600mm



Chrome Base

Ø 600mm



Chrome Base

Ø 380mm



5



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



Anti-static
caster

Ø 50mm



Anti-static
caster

Ø 50mm



Fixed glides

Ø 50mm

1

Mechanism



NO.1

2

Gaslift

Black/Chrome



1. 120mm
2. 140mm
3. 160mm
4. 200mm
5. 260mm

3

Footring



Nylon footing

Ø 400mm



Stainless steel footing

Ø 400mm



Black coated iron footing

Ø 400mm

35CM

25.5CM

3CM

45-61CM

31CM



COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL

E04

3 Aluminum Base

Ø 600mm



Nylon Base

Ø 600mm



Chrome Base

Ø 600mm



Chrome Base

Ø 600mm



Independent Rotating Backrest

The backrest rotates freely around the seat for flexible support and movement.



Independent Rotating Seat

The seat rotates independently for dynamic sitting and flexible positioning.



1 Gaslift Black/Chrome




1. 120mm

2. 140mm

3. 160mm

4. 200mm

5. 260mm



Ø 320mm

2 Footring



Nylon footring

Ø 400mm



Stainless steel footring

Ø 400mm



Black coated iron footring

Ø 400mm

4



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



Anti-static
caster

Ø 50mm



Anti-static
caster

Ø 50mm



Fixed glides

Ø 50mm

COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL

E05

3 Aluminum Base

Ø 600mm



Nylon Base

Ø 600mm




Chrome Base

Ø 600mm



Chrome Base

Ø 600mm



Independent Rotating Backrest

The backrest rotates freely around the seat for flexible support and movement.



Independent Rotating Seat

The seat rotates independently for dynamic sitting and flexible positioning.



1 Gaslift Black/Chrome




1. 120mm

2. 140mm

3. 160mm

4. 200mm

5. 260mm



Ø 320mm

2 Footring



Nylon footring

Ø 400mm



Stainless steel footring

Ø 400mm



Black coated iron footring

Ø 400mm

4



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



Anti-static
caster

Ø 50mm



Anti-static
caster

Ø 50mm



Fixed glides

Ø 50mm

COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL E06-2

3 Aluminum Base

Ø 600mm



Nylon Base

Ø 600mm



Chrome Base

Ø 600mm



Chrome Base

Ø 600mm



Chrome Base

Ø 380mm



4



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



Anti-static
caster

Ø 50mm



Anti-static
caster

Ø 50mm



Fixed glides

Ø 50mm

1 Gaslift

Black/Chrome



1. 120mm

2. 140mm

3. 160mm

4. 200mm

5. 260mm

2 Footring



Nylon footing

Ø 400mm



Stainless steel footing

Ø 400mm



Black coated iron footing

Ø 400mm



Height Length 416mm
Width 339mm

COLOUR



ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

E07



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL **SE08-1**

5 Aluminum Base

Ø 640mm



Nylon Base

Ø 640mm



Chrome Base

Ø 640mm



Chrome Base

Ø 640mm



6



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



**Anti-static
caster**

Ø 50mm



**Anti-static
caster**

Ø 50mm



Fixed glides

Ø 50mm

1 Adjustable armrest



2 Mechanism



No.1



No.2



No.3



No.4

3 Gaslift Black/Chrome



1. 120mm

2. 140mm

3. 160mm

4. 200mm

5. 260mm

4 Footring



Nylon footring

Ø 460mm



Stainless steel footring

Ø 460mm



Black coated iron footring

Ø 460mm

COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL E08-2

3 Aluminum Base

Ø 600mm



Nylon Base

Ø 600mm



Chrome Base

Ø 600mm



Chrome Base

Ø 600mm



Chrome Base

Ø 380mm



1 Gaslift Black/Chrome



Height	Length	Width
1. 120mm	380mm	411mm
2. 140mm		
3. 160mm		
4. 200mm		
5. 260mm		

2 Footring



Nylon footring
Ø 400mm



Stainless steel footring
Ø 400mm



Black coated iron footring
Ø 400mm

4



Pu Wheels
Ø 50mm



Pu Wheels
Ø 50mm



Anti-static
caster
Ø 50mm



Anti-static
caster
Ø 50mm



Fixed glides
Ø 50mm

COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL

SE09



COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL E10

4

Aluminum Base

Ø 600mm



Nylon Base

Ø 600mm



Chrome Base

Ø 600mm



Chrome Base

Ø 600mm



Chrome Base

Ø 380mm



5



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



Anti-static
caster

Ø 50mm



Anti-static
caster

Ø 50mm



Fixed glides

Ø 50mm

1

Mechanism



NO.1



2

Gaslift

Black/Chrome



Height	Length	350mm
Width		320mm

1. 120mm

2. 140mm

3. 160mm

4. 200mm

5. 260mm

3

Footring



Nylon footing

Ø 400mm



Stainless steel footing

Ø 400mm



Black coated iron footing

Ø 400mm

COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL

SE11

5 Aluminum Base

Ø 640mm



Nylon Base

Ø 640mm



Chrome Base

Ø 640mm



Chrome Base

Ø 640mm



6



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



Anti-static
caster

Ø 50mm



Anti-static
caster

Ø 50mm



Fixed glides

Ø 50mm

1 Adjustable armrest



2 Mechanism



3 Gaslift Black/Chrome



1. 120mm

2. 140mm

3. 160mm

4. 200mm

5. 260mm

4 Footring



Nylon footring

Ø 460mm



Stainless steel footring

Ø 460mm



Black coated iron footring

Ø 460mm

COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL

E13

4

Aluminum Base

Ø 600mm



Nylon Base

Ø 600mm



Chrome Base

Ø 600mm



Chrome Base

Ø 600mm



Chrome Base

Ø 380mm



5



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



Anti-static
caster

Ø 50mm



Anti-static
caster

Ø 50mm



Fixed glides

Ø 50mm

1

Mechanism



NO.1



Ø 320mm

2

Gaslift

Black/Chrome



1. 120mm
2. 140mm
3. 160mm
4. 200mm
5. 260mm

3

Footring



Nylon footing

Ø 400mm



Stainless steel footing

Ø 400mm



Black coated iron footing

Ø 400mm

COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL

E14

4

Aluminum Base

Ø 600mm



Nylon Base

Ø 600mm



Chrome Base

Ø 600mm



Chrome Base

Ø 600mm



Chrome Base

Ø 380mm



5



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



Anti-static
caster

Ø 50mm



Anti-static
caster

Ø 50mm



Fixed glides

Ø 50mm

1

Mechanism



NO.1



Ø 320mm

2

Gaslift

Black/Chrome



1. 120mm
2. 140mm
3. 160mm
4. 200mm
5. 260mm

3

Footring



Nylon footing

Ø 400mm



Stainless steel footing

Ø 400mm



Black coated iron footing

Ø 400mm

COLOUR





















SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL **SE15**

5 Aluminum Base

Ø 640mm



Nylon Base

Ø 640mm



Chrome Base

Ø 640mm



Chrome Base

Ø 640mm



6



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



**Anti-static
caster**

Ø 50mm



**Anti-static
caster**

Ø 50mm



Fixed glides

Ø 50mm

1 Adjustable armrest



2 Mechanism



No.1



No.2



No.3



No.4

3 Gaslift Black/Chrome



1. 120mm

2. 140mm

3. 160mm

4. 200mm

5. 260mm

4 Footring



Nylon footring

Ø 460mm



Stainless steel footring

Ø 460mm



Black coated iron footring

Ø 460mm



Back High 250mm Width 380mm
Seat Length 410mm Width 390mm

COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL **SE16A**

5 Aluminum Base

Ø 640mm



Nylon Base

Ø 640mm



Chrome Base

Ø 640mm



Chrome Base

Ø 640mm



6



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



**Anti-static
caster**

Ø 50mm



**Anti-static
caster**

Ø 50mm



Fixed glides

Ø 50mm

1 Adjustable armrest



2 Mechanism



No.1



No.2



No.3



No.4

3 Gaslift Black/Chrome



1. 120mm

2. 140mm

3. 160mm

4. 200mm

5. 260mm

4 Footring



Nylon footring

Ø 460mm



Stainless steel footring

Ø 460mm



Black coated iron footring

Ø 460mm



Back High 370mm



Seat Length 440mm Width 425mm

COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL SE17A

5 Aluminum Base

Ø 640mm



Nylon Base

Ø 640mm



Chrome Base

Ø 640mm



Chrome Base

Ø 640mm



6



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



**Anti-static
caster**

Ø 50mm



**Anti-static
caster**

Ø 50mm



Fixed glides

Ø 50mm

1 Adjustable armrest



2 Mechanism



No.1



No.2



No.3



No.4

3 Gaslift Black/Chrome



1. 120mm

2. 140mm

3. 160mm

4. 200mm

5. 260mm

4 Footring



Nylon footring

Ø 460mm



Stainless steel footring

Ø 460mm



Black coated iron footring

Ø 460mm



Back High 300mm Width 415mm

Seat Length 430mm Width 455mm

COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL **SE16-1**

5 Aluminum Base

Ø 640mm



Nylon Base

Ø 640mm



Chrome Base

Ø 640mm



Chrome Base

Ø 640mm



6



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



**Anti-static
caster**

Ø 50mm



**Anti-static
caster**

Ø 50mm



Fixed glides

Ø 50mm

1 Adjustable armrest



2 Mechanism



3 Gaslift Black/Chrome



1. 120mm

2. 140mm

3. 160mm

4. 200mm

5. 260mm

4 Footring



Nylon footring

Ø 460mm



Stainless steel footring

Ø 460mm



Black coated iron footring

Ø 460mm



Back High 240mm Width 330mm

Seat Length 411mm Width 380mm

COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL

SE18

5 Aluminum Base

Ø 640mm



Nylon Base

Ø 640mm



Chrome Base

Ø 640mm



Chrome Base

Ø 640mm



6



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



Anti-static
caster

Ø 50mm



Anti-static
caster

Ø 50mm



Fixed glides

Ø 50mm

1 Adjustable armrest



2 Mechanism



No.1



No.2



No.3



No.4

3 Gaslift Black/Chrome



1. 120mm

2. 140mm

3. 160mm

4. 200mm

5. 260mm

4 Footring



Nylon footring

Ø 460mm



Stainless steel footring

Ø 460mm



Black coated iron footring

Ø 460mm



Back High 300mm Width 410mm



Seat Length 455mm Width 430mm

COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL

SE19

5 Aluminum Base

Ø 640mm



Nylon Base

Ø 640mm



Chrome Base

Ø 640mm



Chrome Base

Ø 640mm



6



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



Anti-static
caster

Ø 50mm



Anti-static
caster

Ø 50mm



Fixed glides

Ø 50mm

1 Adjustable armrest



2 Mechanism



No.1



No.2



No.3



No.4

3 Gaslift Black/Chrome



1. 120mm

2. 140mm

3. 160mm

4. 200mm

5. 260mm

4 Footring



Nylon footring

Ø 460mm



Stainless steel footring

Ø 460mm



Black coated iron footring

Ø 460mm



Back High 410mm Width 300mm

Seat Length 427mm Width 443mm

COLOUR



SELF-SKINNING PU | ANTI-STATIC SERIES

LABORATORY CHAIR

ENDLESS OPTIONS FOR YOU TO CHOOSE FROM

MODEL

E20

4

Aluminum Base

Ø 600mm



Nylon Base

Ø 600mm



Chrome Base

Ø 600mm



Chrome Base

Ø 600mm



Chrome Base

Ø 380mm



5



Pu Wheels

Ø 50mm



Pu Wheels

Ø 50mm



Anti-static
caster

Ø 50mm



Anti-static
caster

Ø 50mm



Fixed glides

Ø 50mm

1

Mechanism



NO.1



Ø 320mm

2

Gaslift

Black/Chrome



1. 120mm
2. 140mm
3. 160mm
4. 200mm
5. 260mm

3

Footring



Nylon footing

Ø 400mm



Stainless steel footing

Ø 400mm



Black coated iron footing

Ø 400mm

COLOUR



Accessory Selection

Steady As A Rock,Safety Doubled

Adjustable Armrest



NO.1



NO.2

Gas lift Black/Chrome

1.120mm



2. 140mm



3. 160mm



4. 200mm



5. 260mm

Footring



Nylon footring
Ø 460mm



Stainless steel footring
Ø 460mm



Black coated iron footring
Ø 460mm

Five-Star Base



Aluminum Base
Ø 640mm



Nylon Base
Ø 640mm



Chrome Base
Ø 640mm



Chrome Base
Ø 640mm



Chrome Base
Ø 380mm

Caster Wheel



Pu Wheels
Ø 50mm



Pu Wheels
Ø 50mm



Anti-static
caster
Ø 50mm



Anti-static
caster
Ø 50mm



Fixed glides
Ø 50mm


DESIGN CONCEPT

The perfect fusion of bionics and ergonomics

The design is inspired by the flowing and graceful sensation of a manta ray gliding through the water. Its massive pectoral fins, like a flowing cloak, suspend, turn, and glide effortlessly in the water—graceful and full of beauty. This fluid form is transformed into the rhythm of the chair design.


Bionics:

seating surface-Triple symmetrical wing-type layout
Handle-360° wing-shaped rotating handle



Ergonomics:

Sitting comfort--Incorporate the horseback riding sitting experience



FLUID FORM
BIONIC BEAUTY



I — AM — MONTA RAY

FLUID FORM BIONIC BEAUTY

THE DESIGN IS INSPIRED BY THE FLOWING AND GRACEFUL SENSATION OF A MANTA RAY GLIDING THROUGH THE WATER. ITS MASSIVE PECTORAL FINS, LIKE A FLOWING CLOAK, SUSPEND, TURN, AND GLIDE EFFORTLESSLY IN THE WATER — GRACEFUL AND FULL OF BEAUTY. THIS FLUID FORM IS TRANSFORMIED INTO THE RHYTHM OF THE CHAIR DESIGN.

EXCELLENT PERFORMANCE

Triple symmetrical wing-type seating surface

The seating surface features a wing-type layout design, arranged in a three-way symmetrical form. It incorporates a horseback riding sitting experience, allowing for a natural and relaxed posture even during prolonged sitting.

360° wing-shaped rotating handle

"Wing-shaped handle" features a design similar to the wing motion of the seating surface, while allowing 360° smooth height adjustment. It embodies both aesthetic design and functionality.



QQ chair base

The chair legs are designed in a round and bouncy shape enhancing the overall consistency of the chair's appearance while also being stain-resistant and easy to clean.



Tel
0757-23391771

Fax
0757-29267572

E-mail
info@macchairs.com.cn
joyce_sales@hotmail.com

Web
www.macchair.com

Office and Showroom Add
8th Floor,Block 2,Delong Yuan Tanxi Da Dao
Longjiang,Shunde,Foshan

Factory Add
E08,Daba Industrial Park
Longjiang Town,Shunde,Foshan



BUSINESS



Essential for "zero-disturbance" support a must-have for stylish acoustic pods



Leisurely stays, let comfort linger naturally

Quietly supporting your thoughts for immersive learning



Providing on-demand comfort for flowing creativity and spontaneous inspiration



Stop and sit at any time, with seamless transition between sitting and standing



A "dedicated companion" for focus concentration, and professionalism

Providing a agile fulcrum for exploring hands



HOME

Supported by wisdom, guarding every moment of companionship with comfort and flexibility



Daily commutes and returns, handled with ease and grace



A handy helper for easy and effortless household chores



Life is full of surprises, and support is always within reach